

ENTERPRISE BROCHURE

KINGBRIGHT GROUP

Company Profile

KINGBRIGHT GROUP



LEDs Factory



PCBA Factory



CONTENTS

CONTENTS

01 About Us

02 History

03 LED Products

04 Factory Display

05 Customers

06 Contact Us

01 ABOUT US

ABOUT US

■ Company Profile

Founded in November 2006, KINGBRIGHT is a leading provider of LED packaging solutions, with a registered capital of 10 million CNY and over 200 million CNY invested in optoelectronic technologies. Headquartered in Shenzhen, our facility spans over 9,000 square meters of office and production space.

We specialize in the research, development, manufacturing, sales, and service of high-quality LED packaging, utilizing advanced equipment such as U.S.-made ASM and KS wire bonders and Japan's Musashi MIN gun machines. With 40 production lines, we have a daily LED output capacity of 1 million units, making us a major player in the industry.

In June 2010, we expanded by establishing a finished lamp factory, allowing for vertical integration and competitive pricing. Our products, widely used in commercial, office, and public lighting, are certified with ISO 9001:2008, CCC, CE, and TS16949.

As a high-tech enterprise with over 10 patents, KINGBRIGHT is committed to innovation and quality. We have established strategic partnerships with renowned companies and are dedicated to exceeding our customers' expectations.



ISO 9001
品質管理系統



02 HISTORY


HISTORY

■ History



In 2010, KINGBRIGHT began establishing production lines for LED finished lights.

2010



KINGBRIGHT established a PCBA division in 2022.

2022

2006

The KINGBRIGHT LED factory was established in 2006.



2020

KINGBRIGHT added SMT production line to offer one-stop services for PCBA.

03 LED PRODUCTS

LED PRODUCTS

SMD3528 Series

K-Bright

3528 Mono-Color



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
3528	■ 红光 Red	3.5*2.8*1.9	620-630	100-1000	1.8-2.1	IF=20	120	2000PCS/Reel
	■ 黄光 Yellow	3.5*2.8*1.9	585-595	300-3000	1.8-2.1	IF=20	120	2000PCS/Reel
	■ 橙光 Orange	3.5*2.8*1.9	600-610	300-3000	1.8-2.1	IF=20	120	2000PCS/Reel
	■ 绿光 Green	3.5*2.8*1.9	515-525	500-4000	2.5-2.9	IF=20	120	2000PCS/Reel
	■ 紫光 Purple	3.5*2.8*1.9	390-400	100-500	2.6-3.0	IF=20	120	2000PCS/Reel
	■ 蓝光 Blue	3.5*2.8*1.9	460-470	1000-3000	2.6-3.0	IF=20	120	2000PCS/Reel
	□ 白光 White	3.5*2.8*1.9	/	2000-5000	2.6-3.0	IF=20	120	2000PCS/Reel

SMD3528 Series

3528 Ballhead




For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
3528 Ballhead	■ 红光 Red	3.5*2.8*2.6	620-630	100-1000	1.8-2.1	IF=20	30-90	2000PCS/Reel
	■ 黄光 Yellow	3.5*2.8*2.6	585-595	300-3000	1.8-2.1	IF=20	30-90	2000PCS/Reel
	■ 橙光 Orange	3.5*2.8*2.6	600-610	300-3000	1.8-2.1	IF=20	30-90	2000PCS/Reel
	■ 绿光 Green	3.5*2.8*2.6	515-525	500-4000	2.5-2.9	IF=20	30-90	2000PCS/Reel
	■ 紫光 Purple	3.5*2.8*2.6	390-400	100-500	2.6-3.0	IF=20	30-90	2000PCS/Reel
	■ 蓝光 Blue	3.5*2.8*2.6	460-470	1000-3000	2.6-3.0	IF=20	30-90	2000PCS/Reel
	□ 白光 White	3.5*2.8*2.6	/	2000-5000	2.6-3.0	IF=20	30-90	2000PCS/Reel

SMD2835 Series

2835 Mono-Color



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
2835	■ 红光 Red	2.8*3.5*0.7	620-630	100-1000	1.8-2.1	IF=20	120	4000PCS/Reel
	■ 黄光 Yellow	2.8*3.5*0.7	585-595	300-3000	1.8-2.1	IF=20	120	4000PCS/Reel
	■ 橙光 Orange	2.8*3.5*0.7	600-610	300-3000	1.8-2.1	IF=20	120	4000PCS/Reel
	■ 绿光 Green	2.8*3.5*0.7	515-525	500-4000	2.5-2.9	IF=20	120	4000PCS/Reel
	■ 紫光 Purple	2.8*3.5*0.7	390-400	100-500	2.6-3.0	IF=20	120	4000PCS/Reel
	■ 蓝光 Blue	2.8*3.5*0.7	460-470	1000-3000	2.6-3.0	IF=20	120	4000PCS/Reel
	□ 白光 White	2.8*3.5*0.7	/	2000-5000	2.6-3.0	IF=20	120	4000PCS/Reel

SMD2835 Series

K-Bright

2835 Ballhead



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
2835	■ 红光 Red	2.8*3.5*1.5	620-630	100-1000	1.8-2.1	IF=20	30-90	4000PCS/Reel
	■ 黄光 Yellow	2.8*3.5*1.5	585-595	300-3000	1.8-2.1	IF=20	30-90	4000PCS/Reel
	■ 橙光 Orange	2.8*3.5*1.5	600-610	300-3000	1.8-2.1	IF=20	30-90	4000PCS/Reel
	■ 绿光 Green	2.8*3.5*1.5	515-525	500-4000	2.5-2.9	IF=20	30-90	4000PCS/Reel
	■ 紫光 Purple	2.8*3.5*1.5	390-400	100-500	2.6-3.0	IF=20	30-90	4000PCS/Reel
	■ 蓝光 Blue	2.8*3.5*1.5	460-470	1000-3000	2.6-3.0	IF=20	30-90	4000PCS/Reel
	□ 白光 White	2.8*3.5*1.5	/	2000-5000	2.6-3.0	IF=20	30-90	4000PCS/Reel

SMD5050 Series

K-Bright

5050 Mono-Color



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
5050	■ 红光 Red	5.0*5.0*1.6	620-630	1000-5000	1.8-2.1	IF=20	120	1000PCS/Reel
	■ 黄光 Yellow	5.0*5.0*1.6	585-595	1000-5000	1.8-2.1	IF=20	120	1000PCS/Reel
	■ 橙光 Orange	5.0*5.0*1.6	600-610	1000-5000	1.8-2.1	IF=20	120	1000PCS/Reel
	■ 绿光 Green	5.0*5.0*1.6	515-525	5000-10000	2.5-2.9	IF=20	120	1000PCS/Reel
	■ 紫光 Purple	5.0*5.0*1.6	390-400	300-2000	2.6-3.0	IF=20	120	1000PCS/Reel
	■ 蓝光 Blue	5.0*5.0*1.6	460-470	1000-5000	2.6-3.0	IF=20	120	1000PCS/Reel
	□ 白光 White	5.0*5.0*1.6	/	5000-10000	2.6-3.0	IF=20	120	1000PCS/Reel

SMD5050 Series

K-Bright

5050 Magic color




For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
5050 Magic Color with IC built in	manifold	5.0*5.0*1.6	620-630	/	1.8-2.1	IF=20	120	1000PCS/Reel

SMD3030 Series

K-Bright

3030 Regular leds



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	色温 (K)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
3030 Small cup mouth	□ 白光 White	3.0*3.0*0.6	2700-100000	5000-20000	2.6-3.0	IF=20	120	4000PCS/Reel

SMD5050 Series

5050 Full color



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
5050 RGB	红光 Red	5.0*5.0*1.6	620-630	1000-5000	1.8-2.1	IF=20	120	1000PCS/Reel
	绿光 Green	5.0*5.0*1.6	515-525	5000-10000	2.5-2.9	IF=20	120	1000PCS/Reel
	蓝光 Blue	5.0*5.0*1.6	460-470	1000-5000	2.6-3.0	IF=20	120	1000PCS/Reel
5050 RYB	红光 Red	5.0*5.0*1.6	620-630	1000-5000	1.8-2.1	IF=20	120	1000PCS/Reel
	黄光 Yellow	5.0*5.0*1.6	585-595	1000-5000	1.8-2.1	IF=20	120	1000PCS/Reel
	蓝光 Blue	5.0*5.0*1.6	460-470	1000-5000	2.6-3.0	IF=20	120	1000PCS/Reel
5050 RYG	红光 Red	5.0*5.0*1.6	620-630	1000-5000	1.8-2.1	IF=20	120	1000PCS/Reel
	黄光 Yellow	5.0*5.0*1.6	585-595	1000-5000	1.8-2.1	IF=20	120	1000PCS/Reel
	绿光 Green	5.0*5.0*1.6	515-525	5000-10000	2.5-2.9	IF=20	120	1000PCS/Reel
5050 RYO	红光 Red	5.0*5.0*1.6	620-630	1000-5000	1.8-2.1	IF=20	120	1000PCS/Reel
	黄光 Yellow	5.0*5.0*1.6	585-595	1000-5000	1.8-2.1	IF=20	120	1000PCS/Reel
	橙光 Orange	5.0*5.0*1.6	600-610	1000-5000	1.8-2.1	IF=20	120	1000PCS/Reel

SMD020 Series

020 Mono-Color




For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
020	■ 红光 Red	3.8*0.6*1.0	620-630	30-1000	1.8-2.1	IF=20	120	4000PCS/Reel
	■ 黄光 Yellow	3.8*0.6*1.0	585-595	30-1500	1.8-2.1	IF=20	120	4000PCS/Reel
	■ 橙光 Orange	3.8*0.6*1.0	600-610	30-2000	1.8-2.1	IF=20	120	4000PCS/Reel
	■ 绿光 Green	3.8*0.6*1.0	515-525	50-3000	2.5-2.9	IF=20	120	4000PCS/Reel
	■ 紫光 Purple	3.8*0.6*1.0	390-400	10-200	2.6-3.0	IF=20	120	4000PCS/Reel
	■ 蓝光 Blue	3.8*0.6*1.0	460-470	100-2000	2.6-3.0	IF=20	120	4000PCS/Reel
	□ 白光 White	3.8*0.6*1.0	/	100-3000	2.6-3.0	IF=20	120	4000PCS/Reel

SMD020 Series

K-Bright

020 Full color



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
020 RGB	■ 红光 Red	3.8*0.6*1.0	620-630	1000-5000	1.8-2.1	IF=20	120	4000PCS/Reel
	■ 绿光 Green	3.8*0.6*1.0	515-525	5000-10000	2.5-2.9	IF=20	120	4000PCS/Reel
	■ 蓝光 Blue	3.8*0.6*1.0	460-470	1000-5000	2.6-3.0	IF=20	120	4000PCS/Reel
020 RYB	■ 红光 Red	3.8*0.6*1.0	620-630	1000-5000	1.8-2.1	IF=20	120	4000PCS/Reel
	■ 黄光 Yellow	3.8*0.6*1.0	585-595	1000-5000	1.8-2.1	IF=20	120	4000PCS/Reel
	■ 蓝光 Blue	3.8*0.6*1.0	460-470	1000-5000	2.6-3.0	IF=20	120	4000PCS/Reel
020 RYG	■ 红光 Red	3.8*0.6*1.0	620-630	1000-5000	1.8-2.1	IF=20	120	4000PCS/Reel
	■ 黄光 Yellow	3.8*0.6*1.0	585-595	1000-5000	1.8-2.1	IF=20	120	4000PCS/Reel
	■ 绿光 Green	3.8*0.6*1.0	515-525	5000-10000	2.5-2.9	IF=20	120	4000PCS/Reel
020 RYO	■ 红光 Red	3.8*0.6*1.0	620-630	1000-5000	1.8-2.1	IF=20	120	4000PCS/Reel
	■ 黄光 Yellow	3.8*0.6*1.0	585-595	1000-5000	1.8-2.1	IF=20	120	4000PCS/Reel
	■ 橙光 Orange	3.8*0.6*1.0	600-610	1000-5000	1.8-2.1	IF=20	120	4000PCS/Reel

SMD3535 UVA Series

K-Bright

3535UVA plane



special specifications
it can be customized

产品名称 (Model)	产品型号 (Part No)	产品规格 (Product size)	波长 (nm)	发光强度 (mw)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
3535 UVA	KB-3535.365	3.6*3.6	365-380	800-1200	3.4-3.8	IF=700	120	1000PCS/Reel
3535 UVA	KB-3535.395	3.6*3.6	380-400	800-1200	3.4-3.8	IF=700	120	1000PCS/Reel

K-Bright

3535UVA Ball head



special specifications
it can be customized

产品名称 (Model)	产品型号 (Part No)	产品规格 (Product size)	波长 (nm)	发光强度 (mw)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
3535 UVA	KB-3535.365	3.6*3.6	365-380	800-1200	3.4-3.8	IF=700	120	1000PCS/Reel
3535 UVA	KB-3535.395	3.6*3.6	380-400	800-1200	3.4-3.8	IF=700	120	1000PCS/Reel

SMD3535 UVC Series

K-Bright

3535UVC plane



special specifications
it can be customized

产品名称 (Model)	产品型号 (Part No)	产品规格 (Product size)	波长 (nm)	发光强度 (mw)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
3535 UVC	KB-3535.1020	3.6*3.6	270-280	6-8	5-7	IF=40	120	1000PCS/Reel
3535 UVC	KB-3535.2020	3.6*3.6	270-280	15-20	5-7	IF=100	120	1000PCS/Reel
3535 UVC	KB-3535.3030	3.6*3.6	270-280	30-60	5-7	IF=300	120	1000PCS/Reel
3535 UVC	KB-3535.4040	3.6*3.6	270-280	60-100	5-7	IF=400	120	1000PCS/Reel

3535UVC Ball head



special specifications
it can be customized

产品名称 (Model)	产品型号 (Part No)	产品规格 (Product size)	波长 (nm)	发光强度 (mw)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
3535 UVC	KB-3535.1020	3.6*3.6	270-280	6-8	5-7	IF=40	30-90	1000PCS/Reel
	KB-3535.2020	3.6*3.6	270-280	15-20	5-7	IF=100	30-90	1000PCS/Reel
	KB-3535.3030	3.6*3.6	270-280	30-60	5-7	IF=300	30-90	1000PCS/Reel
	KB-3535.4040	3.6*3.6	270-280	60-100	5-7	IF=400	30-90	1000PCS/Reel

SMD3535 UVA&UVC Series



3535 UVC+UVA Plane



special specifications
it can be customized

产品名称 (Model)	产品型号 (Part No)	产品规格 (Product size)	波长 (nm)	发光强度 (mW)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
3535 UVC+UVA	KB-3535.1020	3.6*3.6	270-280	6-8	5-7	IF=40	120	1000PCS/Reel
			390-400	10-25	3.0-3.4	IF=60		
3535 UVC+UVA	KB-3535.2020	3.6*3.6	270-280	15-20	5-7	IF=100	120	1000PCS/Reel
			390-400	10-25	3.0-3.4	IF=60		



3535UVC+UVA Ball head



special specifications
it can be customized

产品名称 (Model)	产品型号 (Part No)	产品规格 (Product size)	波长 (nm)	发光强度 (mW)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
3535 UVC+UVA	KB-3535.1020	3.6*3.6	270-280	6-8	5-7	IF=40	30-90	1000PCS/Reel
			390-400	10-25	3.0-3.4	IF=60		
3535 UVC+UVA	KB-3535.2020	3.6*3.6	270-280	15-20	5-7	IF=100	30-90	1000PCS/Reel
			390-400	10-25	3.0-3.4	IF=60		

SMD5050 UVC Series

K-Bright

5050UVC Shanbo




special specifications
it can be customized

产品名称 (Model)	产品型号 (Part No)	产品规格 (Product size)	波长 (nm)	发光强度 (mw)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
5050 UVC	KB-5050.1020	5.0*5.0*1.7	270-280	6-8	5-7	IF=40	120	1000PCS/Reel
	KB-5050.2020	5.0*5.0*1.7	270-280	15-20	5-7	IF=100	120	1000PCS/Reel
	KB-5050.3030	5.0*5.0*1.7	270-280	30-60	5-7	IF=300	120	1000PCS/Reel
	KB-5050.4040	5.0*5.0*1.7	270-280	60-100	5-7	IF=400	120	1000PCS/Reel

K-Bright

5055UVC Ball head



special specifications
it can be customized

产品名称 (Model)	产品型号 (Part No)	产品规格 (Product size)	波长 (nm)	发光强度 (mw)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
5050 UVC	KB-5050.1020	5.0*5.0	270-280	6-8	5-7	IF=40	30-90	1000PCS/Reel
	KB-5050.2020	5.0*5.0	270-280	15-20	5-7	IF=100	30-90	1000PCS/Reel
	KB-5050.3030	5.0*5.0	270-280	30-60	5-7	IF=300	30-90	1000PCS/Reel
	KB-5050.4040	5.0*5.0	270-280	60-100	5-7	IF=400	30-90	1000PCS/Reel

SMD6868 UVC Series

K-Bright

6868UVC Plane



special specifications
it can be customized

产品名称 (Model)	产品型号 (Part No)	产品规格 (Product size)	波长 (nm)	发光强度 (mw)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
6868 UVC	KB-6868.1020	6.8*6.8	270-280	6-8	5-7	IF=40	120	1000PCS/Reel
	KB-6868.2020	6.8*6.8	270-280	15-20	5-7	IF=100	120	1000PCS/Reel
	KB-6868.3030	6.8*6.8	270-280	30-60	5-7	IF=300	120	1000PCS/Reel
	KB-6868.4040	6.8*6.8	270-280	60-100	5-7	IF=400	120	1000PCS/Reel

6868UVC Ball head



special specifications
it can be customized

产品名称 (Model)	产品型号 (Part No)	产品规格 (Product size)	波长 (nm)	发光强度 (mw)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
6868 UVC	KB-6868.1020	6.8*6.8	270-280	6-8	5-7	IF=40	60-90	1000PCS/Reel
	KB-68682020	6.8*6.8	270-280	15-20	5-7	IF=100	60-90	1000PCS/Reel
	KB-6868.3030	6.8*6.8	270-280	30-60	5-7	IF=300	60-90	1000PCS/Reel
	KB-6868.4040	6.8*6.8	270-280	60-100	5-7	IF=400	60-90	1000PCS/Reel

THD LED Series

1.8MM Teat shape DIP



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
1.8mm	■ 红光 Red	1.8*3.0	620-630	100-5000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 黄光 Yellow	1.8*3.0	585-595	100-4000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 橙光 Orange	1.8*3.0	600-610	100-2000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 绿光 Green	1.8*3.0	510-535	100-10000	2.6-3.2	IF=20	70-150	1000PCS/bag
	■ 紫光 Purple	1.8*3.0	390-400	20-200	3.0-3.6	IF=20	70-150	1000PCS/bag
	■ 蓝光 Blue	1.8*3.0	460-470	100-2000	2.6-3.2	IF=20	70-150	1000PCS/bag
	□ 白光 White	1.8*3.0	/	200-10000	2.6-3.2	IF=20	70-150	1000PCS/bag

THD LED Series



2MM Tower model



For more colors or special specifications it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
2mm	■ 红光 Red	2*8.0	620-630	100-5000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 黄光 Yellow	2*8.0	585-595	100-4000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 橙光 Orange	2*8.0	600-610	100-3000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 绿光 Green	2*8.0	510-535	100-10000	2.6-3.2	IF=20	70-150	1000PCS/bag
	■ 紫光 Purple	2*8.0	390-400	20-200	3.0-3.6	IF=20	70-150	1000PCS/bag
	■ 蓝光 Blue	2*8.0	460-470	100-1000	2.6-3.2	IF=20	70-150	1000PCS/bag
	□ 白光 White	2*8.0	/	200-10000	2.6-3.2	IF=20	70-150	1000PCS/bag

THD LED Series

3MM Flat head



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
3mm	■ 红光 Red	3*3.85	620-630	100-1000	1.8-2.4	IF=20	80-160	1000PCS/bag
	■ 黄光 Yellow	3*3.85	585-595	100-1000	1.8-2.4	IF=20	80-160	1000PCS/bag
	■ 橙光 Orange	3*3.85	600-610	100-1000	1.8-2.4	IF=20	80-160	1000PCS/bag
	■ 绿光 Green	3*3.85	510-535	100-2000	2.6-3.2	IF=20	80-160	1000PCS/bag
	■ 紫光 Purple	3*3.85	390-400	20-200	3.0-3.6	IF=20	80-160	1000PCS/bag
	■ 蓝光 Blue	3*3.85	460-470	100-800	2.6-3.2	IF=20	80-160	1000PCS/bag
	□ 白光 White	3*3.85	/	200-2000	2.6-3.2	IF=20	80-160	1000PCS/bag

THD LED Series

3MM Round head



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
3mm	■ 红光 Red	3*5.3	620-630	100-15000	1.8-2.4	IF=20	10-70	1000PCS/bag
	■ 黄光 Yellow	3*5.3	585-595	100-10000	1.8-2.4	IF=20	10-70	1000PCS/bag
	■ 橙光 Orange	3*5.3	600-610	100-10000	1.8-2.4	IF=20	10-70	1000PCS/bag
	■ 绿光 Green	3*5.3	510-535	200-10000	2.6-3.2	IF=20	10-70	1000PCS/bag
	■ 紫光 Purple	3*5.3	390-400	100-1000	3.0-3.6	IF=20	10-70	1000PCS/bag
	■ 蓝光 Blue	3*5.3	460-470	100-8000	2.6-3.2	IF=20	10-70	1000PCS/bag
	□ 白光 White	3*5.3	/	500-20000	2.6-3.2	IF=20	10-70	1000PCS/bag

THD LED Series

3MM Round Dual Color



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
3MM Red+Yellow	■ 红光 Red	3*5.3	620-630	100-7000	1.8-2.4	IF=20	10-90	1000PCS/bag
	■ 黄光 Yellow		585-595	200-2000	1.8-2.4	IF=20	10-90	1000PCS/bag
3MM Red+Green	■ 红光 Red	3*5.3	620-630	100-7000	1.8-2.4	IF=20	10-90	1000PCS/bag
	■ 绿光 Green		515-535	100-3000	2.6-3.2	IF=20	10-90	1000PCS/bag
3MM Red+Blue	■ 红光 Red	3*5.3	620-630	100-7000	1.8-2.4	IF=20	10-90	1000PCS/bag
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2	IF=20	10-90	1000PCS/bag
3MM Green+Blue	■ 绿光 Green	3*5.3	515-535	100-3000	2.6-3.2	IF=20	10-90	1000PCS/bag
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2	IF=20	10-90	1000PCS/bag

THD LED Series

K-Bright

5MM Straw hat



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
5mm	■ 红光 Red	4.8*4.8	620-630	100-1000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 黄光 Yellow	4.8*4.8	585-595	100-1000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 橙光 Orange	4.8*4.8	600-610	100-1000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 绿光 Green	4.8*4.8	510-535	100-2000	2.6-3.2	IF=20	70-150	1000PCS/bag
	■ 紫光 Purple	4.8*4.8	390-400	20-200	3.0-3.6	IF=20	70-150	1000PCS/bag
	■ 蓝光 Blue	4.8*4.8	460-470	100-800	2.6-3.2	IF=20	70-150	1000PCS/bag
	□ 白光 White	4.8*4.8	/	200-5000	2.6-3.2	IF=20	70-150	1000PCS/bag

THD LED Series

K-Bright

5MM Straw Full Color RGB



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
5MM R+Y+B	■ 红光 Red	4.8*4.8	620-630	100-7000	1.8-2.4	IF=20	60-120	1000PCS/bag
	■ 黄光 Yellow		585-595	200-2000	1.8-2.4			
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2			
5MM R+G+B	■ 红光 Red	4.8*4.8	620-630	100-7000	1.8-2.4	IF=20	60-120	1000PCS/bag
	■ 绿光 Green		515-535	200-10000	2.6-3.2			
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2			
5MM R+Y+G	■ 红光 Red	4.8*4.8	620-630	100-7000	1.8-2.4	IF=20	60-120	1000PCS/bag
	■ 黄光 Yellow		585-595	200-2000	1.8-2.4			
	■ 绿光 Green		515-535	200-10000	2.6-3.2			

THD LED Series

K-Bright

5MM Straw hat Dual Color



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
5MM Red+Yellow	■ 红光 Red	4.8*4.8	620-630	100-7000	1.8-2.4	IF=20	60-120	1000PCS/bag
	■ 黄光 Yellow		585-595	200-2000	1.8-2.4			
5MM Red+Green	■ 红光 Red	4.8*4.8	620-630	100-7000	1.8-2.4	IF=20	60-120	1000PCS/bag
	■ 绿光 Green		515-535	100-10000	2.6-3.2			
5MM Red+Blue	■ 红光 Red	4.8*4.8	620-630	100-7000	1.8-2.4	IF=20	60-120	1000PCS/bag
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2			
5MM Green+Blue	■ 绿光 Green	4.8*4.8	515-535	100-10000	2.6-3.2	IF=20	60-120	1000PCS/bag
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2			

THD LED Series

5MM Helmet



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
5mm	■ 红光 Red	4.8*4.8	620-630	100-1000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 黄光 Yellow	4.8*4.8	585-595	100-1000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 橙光 Orange	4.8*4.8	600-610	100-1000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 绿光 Green	4.8*4.8	510-535	100-2000	2.6-3.2	IF=20	70-150	1000PCS/bag
	■ 紫光 Purple	4.8*4.8	390-400	20-200	3.0-3.6	IF=20	70-150	1000PCS/bag
	■ 蓝光 Blue	4.8*4.8	460-470	100-800	2.6-3.2	IF=20	70-150	1000PCS/bag
	□ 白光 White	4.8*4.8	/	200-5000	2.6-3.2	IF=20	70-150	1000PCS/bag

THD LED Series

5MM Flat head



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
5mm	■ 红光 Red	5*5.3	620-630	100-1000	1.8-2.4	IF=20	80-160	1000PCS/bag
	■ 黄光 Yellow	5*5.3	585-595	100-1000	1.8-2.4	IF=20	80-160	1000PCS/bag
	■ 橙光 Orange	5*5.3	600-610	100-1000	1.8-2.4	IF=20	80-160	1000PCS/bag
	■ 绿光 Green	5*5.3	510-535	100-2000	2.6-3.2	IF=20	80-160	1000PCS/bag
	■ 紫光 Purple	5*5.3	390-400	20-200	3.0-3.6	IF=20	80-160	1000PCS/bag
	■ 蓝光 Blue	5*5.3	460-470	100-800	2.6-3.2	IF=20	80-160	1000PCS/bag
	□ 白光 White	5*5.3	/	200-3000	2.6-3.2	IF=20	80-160	1000PCS/bag

THD LED Series

K-Bright

5MM Round head



For more colors or special specifications it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
5mm	■ 红光 Red	5*8.7	620-630	100-15000	1.8-2.4	IF=20	10-70	1000PCS/bag
	■ 黄光 Yellow	5*8.7	585-595	100-10000	1.8-2.4	IF=20	10-70	1000PCS/bag
	■ 橙光 Orange	5*8.7	600-610	100-10000	1.8-2.4	IF=20	10-70	1000PCS/bag
	■ 绿光 Green	5*8.7	510-535	200-10000	2.6-3.2	IF=20	10-70	1000PCS/bag
	■ 紫光 Purple	5*8.7	390-400	100-1000	3.0-3.6	IF=20	10-70	1000PCS/bag
	■ 蓝光 Blue	5*8.7	460-470	100-8000	2.6-3.2	IF=20	10-70	1000PCS/bag
	□ 白光 White	5*8.7	/	500-20000	2.6-3.2	IF=20	10-70	1000PCS/bag

THD LED Series

K-Bright

5MM Full Color RGB



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
5MM R+Y+B	■ 红光 Red	5*8.7	620-630	100-7000	1.8-2.4	IF=20	10-90	1000PCS/bag
	■ 黄光 Yellow		585-595	200-2000	1.8-2.4			
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2			
5MM R+G+B	■ 红光 Red	5*8.7	620-630	100-7000	1.8-2.4	IF=20	10-90	1000PCS/bag
	■ 绿光 Green		515-535	200-10000	2.6-3.2			
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2			
5MM R+Y+G	■ 红光 Red	5*8.7	620-630	100-7000	1.8-2.4	IF=20	10-90	1000PCS/bag
	■ 黄光 Yellow		585-595	200-2000	1.8-2.4			
	■ 绿光 Green		515-535	200-10000	2.6-3.2			

THD LED Series

5MM Round Dual Color



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
5MM Red+Yellow	■ 红光 Red	5*8.7	620-630	100-7000	1.8-2.4	IF=20	10-90	1000PCS/bag
	■ 黄光 Yellow		585-595	200-2000	1.8-2.4	IF=20	10-90	1000PCS/bag
5MM Red+Green	■ 红光 Red	5*8.7	620-630	100-7000	1.8-2.4	IF=20	10-90	1000PCS/bag
	■ 绿光 Green		515-535	100-3000	2.6-3.2	IF=20	10-90	1000PCS/bag
5MM Red+Blue	■ 红光 Red	5*8.7	620-630	100-7000	1.8-2.4	IF=20	10-90	1000PCS/bag
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2	IF=20	10-90	1000PCS/bag
5MM Green+Blue	■ 绿光 Green	5*8.7	515-535	100-3000	2.6-3.2	IF=20	10-90	1000PCS/bag
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2	IF=20	10-90	1000PCS/bag

THD LED Series

K-Bright

8MM Straw hat



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
8mm	■ 红光 Red	8*6	620-630	100-1000	1.8-2.4	IF=20	70-150	500PCS/bag
	■ 黄光 Yellow	8*6	585-595	100-1000	1.8-2.4	IF=20	70-150	500PCS/bag
	■ 橙光 Orange	8*6	600-610	100-1000	1.8-2.4	IF=20	70-150	500PCS/bag
	■ 绿光 Green	8*6	510-535	100-2000	2.6-3.2	IF=20	70-150	500PCS/bag
	■ 紫光 Purple	8*6	390-400	20-200	3.0-3.6	IF=20	70-150	500PCS/bag
	■ 蓝光 Blue	8*6	460-470	100-800	2.6-3.2	IF=20	70-150	500PCS/bag
	□ 白光 White	8*6	/	200-5000	2.6-3.2	IF=20	70-150	500PCS/bag

THD LED Series

K-Bright

10MM Flat head



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
10mm	■ 红光 Red	10*10.2	620-630	100-1000	1.8-2.4	IF=20	80-160	200PCS/bag
	■ 黄光 Yellow	10*10.2	585-595	100-1000	1.8-2.4	IF=20	80-160	200PCS/bag
	■ 橙光 Orange	10*10.2	600-610	100-1000	1.8-2.4	IF=20	80-160	200PCS/bag
	■ 绿光 Green	10*10.2	510-535	100-2000	2.6-3.2	IF=20	80-160	200PCS/bag
	■ 紫光 Purple	10*10.2	390-400	20-200	3.0-3.6	IF=20	80-160	200PCS/bag
	■ 蓝光 Blue	10*10.2	460-470	100-800	2.6-3.2	IF=20	80-160	200PCS/bag
	□ 白光 White	10*10.2	/	200-3000	2.6-3.2	IF=20	80-160	200PCS/bag

THD LED Series

K-Bright

10MM Round head



For more colors or special specifications it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
10mm	■ 红光 Red	5*8.7	620-630	100-15000	1.8-2.4	IF=20	10-70	200PCS/bag
	■ 黄光 Yellow	5*8.7	585-595	100-10000	1.8-2.4	IF=20	10-70	2000PCS/bag
	■ 橙光 Orange	5*8.7	600-610	100-10000	1.8-2.4	IF=20	10-70	2000PCS/bag
	■ 绿光 Green	5*8.7	510-535	200-10000	2.6-3.2	IF=20	10-70	200PCS/bag
	■ 紫光 Purple	5*8.7	390-400	100-1000	3.0-3.6	IF=20	10-70	200PCS/bag
	■ 蓝光 Blue	5*8.7	460-470	100-8000	2.6-3.2	IF=20	10-70	200PCS/bag
	□ 白光 White	5*8.7	/	500-20000	2.6-3.2	IF=20	10-70	200PCS/bag

THD LED Series

10MM Full Color RGB



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
10MM R+Y+B	■ 红光 Red	10*13.7	620-630	100-7000	1.8-2.4	IF=20	10-90	200PCS/bag
	■ 黄光 Yellow		585-595	200-2000	1.8-2.4			
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2			
10MM R+G+B	■ 红光 Red	10*13.7	620-630	100-7000	1.8-2.4	IF=20	10-90	200PCS/bag
	■ 绿光 Green		515-535	200-10000	2.6-3.2			
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2			
10MM R+Y+G	■ 红光 Red	10*13.7	620-630	100-7000	1.8-2.4	IF=20	10-90	200PCS/bag
	■ 黄光 Yellow		585-595	200-2000	1.8-2.4			
	■ 绿光 Green		515-535	200-10000	2.6-3.2			

THD LED Series

10MM Round Dual Color



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
10MM Red+Yellow	■ 红光 Red	10*13.7	620-630	100-7000	1.8-2.4	IF=20	10-90	250PCS/bag
	■ 黄光 Yellow		585-595	200-2000	1.8-2.4	IF=20	10-90	250PCS/bag
10MM Red+Green	■ 红光 Red	10*13.7	620-630	100-7000	1.8-2.4	IF=20	10-90	250PCS/bag
	■ 绿光 Green		515-535	100-3000	2.6-3.2	IF=20	10-90	250PCS/bag
10MM Red+Blue	■ 红光 Red	10*13.7	620-630	100-7000	1.8-2.4	IF=20	10-90	250PCS/bag
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2	IF=20	10-90	250PCS/bag
10MM Green+Blue	■ 绿光 Green	10*13.7	515-535	100-3000	2.6-3.2	IF=20	10-90	250PCS/bag
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2	IF=20	10-90	250PCS/bag

THD LED Series

234MM square head



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
234mm	■ 红光 Red	2*3*4	620-630	100-1000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 黄光 Yellow	2*3*4	585-595	100-1000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 橙光 Orange	2*3*4	600-610	100-1000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 绿光 Green	2*3*4	510-535	100-2000	2.6-3.2	IF=20	70-150	1000PCS/bag
	■ 紫光 Purple	2*3*4	390-400	20-200	3.0-3.6	IF=20	70-150	1000PCS/bag
	■ 蓝光 Blue	2*3*4	460-470	100-800	2.6-3.2	IF=20	70-150	1000PCS/bag
	□ 白光 White	2*3*4	/	200-5000	2.6-3.2	IF=20	70-150	1000PCS/bag

THD LED Series

234 square dual color



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
234 Red+Yellow	■ 红光 Red	2*3*4	620-630	200-7000	1.8-2.4	IF=20	60-120	1000PCS/Reel
	■ 黄光 Yellow		585-595	100-2000	1.8-2.4			
234 Red+Green	■ 红光 Red	2*3*4	620-630	200-7000	1.8-2.4	IF=20	60-120	1000PCS/Reel
	■ 绿光 Green		515-525	100-10000	2.6-3.2			
234 Red+Blue	■ 红光 Red	2*3*4	620-630	200-7000	1.8-2.4	IF=20	60-120	1000PCS/Reel
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2			
234 Green+Blue	■ 绿光 Green	2*3*4	515-525	100-10000	2.6-3.2	IF=20	60-120	1000PCS/Reel
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2			

THD LED Series

257MM square head



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
257mm	■ 红光 Red	2*5*7	620-630	100-1000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 黄光 Yellow	2*5*7	585-595	100-1000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 橙光 Orange	2*5*7	600-610	100-1000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 绿光 Green	2*5*7	510-535	100-2000	2.6-3.2	IF=20	70-150	1000PCS/bag
	■ 紫光 Purple	2*5*7	390-400	20-200	3.0-3.6	IF=20	70-150	1000PCS/bag
	■ 蓝光 Blue	2*5*7	460-470	100-800	2.6-3.2	IF=20	70-150	1000PCS/bag
	□ 白光 White	2*5*7	/	200-5000	2.6-3.2	IF=20	70-150	1000PCS/bag

THD LED Series

K-Bright

257 Full Color RGB



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
257 R+Y+B	■ 红光 Red	2*5*7	620-630	100-7000	1.8-2.4	IF=20	60-120	1000PCS/bag
	■ 黄光 Yellow		585-595	200-2000	1.8-2.4			
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2			
257 R+G+B	■ 红光 Red	2*5*7	620-630	100-7000	1.8-2.4	IF=20	60-120	1000PCS/bag
	■ 绿光 Green		515-535	200-10000	2.6-3.2			
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2			
257 R+Y+G	■ 红光 Red	2*5*7	620-630	100-7000	1.8-2.4	IF=20	60-120	1000PCS/bag
	■ 黄光 Yellow		585-595	200-2000	1.8-2.4			
	■ 绿光 Green		515-535	200-10000	2.6-3.2			

THD LED Series



257 square dual color




For more colors or special specifications it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
257 Red+Yellow	■ 红光 Red	2*5*7	620-630	200-7000	1.8-2.4	IF=20	60-120	1000PCS/Reel
	■ 黄光 Yellow		585-595	100-2000	1.8-2.4			
257 Red+Green	■ 红光 Red	2*5*7	620-630	200-7000	1.8-2.4	IF=20	60-120	1000PCS/Reel
	■ 绿光 Green		515-525	100-10000	2.6-3.2			
257 Red+Blue	■ 红光 Red	2*5*7	620-630	200-7000	1.8-2.4	IF=20	60-120	1000PCS/Reel
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2			
257 Green+Blue	■ 绿光 Green	2*5*7	515-525	100-10000	2.6-3.2	IF=20	60-120	1000PCS/Reel
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2			

THD LED Series

All Series with long feet



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
All Series with long feet	■ 红光 Red	3MM	620-630	100-15000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 黄光 Yellow		585-595	100-10000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 橙光 Orange	5MM	600-610	100-10000	1.8-2.4	IF=20	70-150	1000PCS/bag
	■ 绿光 Green	8mm	510-535	200-10000	2.6-3.2	IF=20	70-150	1000PCS/bag
	■ 紫光 Purple	10mm	390-400	100-1000	3.0-3.6	IF=20	70-150	1000PCS/bag
	■ 蓝光 Blue		460-470	100-8000	2.6-3.2	IF=20	70-150	1000PCS/bag
	□ 白光 White		/	500-20000	2.6-3.2	IF=20	70-150	1000PCS/bag

Chip LED Series

0201 Front Light



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
0201	■ 红光 Red	0.65*0.35*.0.4	620-630	30-1000	1.8-2.1	IF=5	120	10000PCS/Reel
	■ 黄光 Yellow	0.65*0.35*.0.4	585-595	30-1500	1.8-2.1	IF=5	120	10000PCS/Reel
	■ 橙光 Orange	0.65*0.35*.0.4	600-610	30-1000	1.8-2.1	IF=5	120	10000PCS/Reel
	■ 绿光 Green	0.65*0.35*.0.4	515-525	500-2000	2.5-2.9	IF=5	120	10000PCS/Reel
	■ 紫光 Purple	0.65*0.35*.0.4	390-400	10-200	2.6-3.0	IF=5	120	10000PCS/Reel
	■ 蓝光 Blue	0.65*0.35*.0.4	460-470	30-1000	2.6-3.0	IF=5	120	10000PCS/Reel
	□ 白光 White	0.65*0.35*.0.4	/	100-2000	2.6-3.0	IF=5	120	10000PCS/Reel

Chip LED Series

0402 Mono-Color



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
0402	■ 红光 Red	1.0*0.5*0.45	620-630	30-1000	1.8-2.1	IF=5	120	5000PCS/Reel
	■ 黄光 Yellow	1.0*0.5*0.45	585-595	30-1500	1.8-2.1	IF=5	120	5000PCS/Reel
	■ 橙光 Orange	1.0*0.5*0.45	600-610	30-2000	1.8-2.1	IF=5	120	5000PCS/Reel
	■ 绿光 Green	1.0*0.5*0.45	515-525	50-3000	2.5-2.9	IF=5	120	5000PCS/Reel
	■ 紫光 Purple	1.0*0.5*0.45	390-400	10-200	2.6-3.0	IF=5	120	5000PCS/Reel
	■ 蓝光 Blue	1.0*0.5*0.45	460-470	100-2000	2.6-3.0	IF=5	120	5000PCS/Reel
	□ 白光 White	1.0*0.5*0.45	/	100-3000	2.6-3.0	IF=5	120	5000PCS/Reel

Chip LED Series

0602 Side Light



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
0602	■ 红光 Red	1.6*0.6*.1.0	620-630	30-1000	1.8-2.1	IF=5	120	4000PCS/Reel
	■ 黄光 Yellow	1.6*0.6*.1.0	585-595	30-1500	1.8-2.1	IF=5	120	4000PCS/Reel
	■ 橙光 Orange	1.6*0.6*.1.0	600-610	30-1000	1.8-2.1	IF=5	120	4000PCS/Reel
	■ 绿光 Green	1.6*0.6*.1.0	515-525	50-2000	2.5-2.9	IF=5	120	4000PCS/Reel
	■ 紫光 Purple	1.6*0.6*.1.0	390-400	10-200	2.6-3.0	IF=5	120	4000PCS/Reel
	■ 蓝光 Blue	1.6*0.6*.1.0	460-470	30-1000	2.6-3.0	IF=5	120	4000PCS/Reel
	□ 白光 White	1.6*0.6*.1.0	/	100-2000	2.6-3.0	IF=5	120	4000PCS/Reel

Chip LED Series



0603 Front Light



For more colors or special specifications it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
0603	■ 红光 Red	1.6*0.8*.0.6/0.4	620-630	30-1000	1.8-2.1	IF=5	120	4000PCS/Reel
	■ 黄光 Yellow	1.6*0.8*.0.6/0.4	585-595	30-1500	1.8-2.1	IF=5	120	4000PCS/Reel
	■ 橙光 Orange	1.6*0.8*.0.6/0.4	600-610	30-1000	1.8-2.1	IF=5	120	4000PCS/Reel
	■ 绿光 Green	1.6*0.8*.0.6/0.4	515-525	50-2000	2.5-2.9	IF=5	120	4000PCS/Reel
	■ 紫光 Purple	1.6*0.8*.0.6/0.4	390-400	20-200	2.6-3.0	IF=5	120	4000PCS/Reel
	■ 蓝光 Blue	1.6*0.8*.0.6/0.4	460-470	30-1000	2.6-3.0	IF=5	120	4000PCS/Reel
	□ 白光 White	1.6*0.8*.0.6/0.4	/	100-2000	2.6-3.0	IF=5	120	4000PCS/Reel

Chip LED Series

0802 Side Light



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
0802	■ 红光 Red	2.1*0.6*1.0	620-630	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
	■ 黄光 Yellow	2.1*0.6*1.0	585-595	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
	■ 橙光 Orange	2.1*0.6*1.0	600-610	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
	■ 绿光 Green	2.1*0.6*1.0	515-525	100-3000	2.5-2.9	IF=5	120	3000PCS/Reel
	■ 紫光 Purple	2.1*0.6*1.0	390-400	10-200	2.6-3.0	IF=5	120	3000PCS/Reel
	■ 蓝光 Blue	2.1*0.6*1.0	460-470	100-2000	2.6-3.0	IF=5	120	3000PCS/Reel
	□ 白光 White	2.1*0.6*1.0	/	1000-5000	2.6-3.0	IF=5	120	3000PCS/Reel

Chip LED Series

K-Bright

0805 Dual Color



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
0805 Red+Yellow	■ 红光 Red	2.0*1.25*1.0	620-630	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
	■ 黄光 Yellow	2.0*1.25*1.0	585-595	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
0805 Red+Green	■ 红光 Red	2.0*1.25*1.0	620-630	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
	■ 绿光 Green	2.0*1.25*1.0	515-525	100-3000	2.5-2.9	IF=5	120	3000PCS/Reel
0805 Red+Blue	■ 红光 Red	2.0*1.25*1.0	620-630	100-2000	2.6-3.0	IF=5	120	3000PCS/Reel
	■ 蓝光 Blue	2.0*1.25*1.0	460-470	100-2000	2.6-3.0	IF=5	120	3000PCS/Reel
0805 Green+Blue	■ 绿光 Green	2.0*1.25*1.0	515-525	100-3000	2.5-2.9	IF=5	120	3000PCS/Reel
	■ 蓝光 Blue	2.0*1.25*1.0	460-470	100-2000	2.6-3.0	IF=5	120	3000PCS/Reel

Chip LED Series

0805 Front Light



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
0805	■ 红光 Red	2.0*1.25*.0.8/1.0	620-630	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
	■ 黄光 Yellow	2.0*1.25*.0.8/1.0	585-595	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
	■ 橙光 Orange	2.0*1.25*.0.8/1.0	600-610	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
	■ 绿光 Green	2.0*1.25*.0.8/1.0	515-525	100-3000	2.5-2.9	IF=5	120	3000PCS/Reel
	■ 紫光 Purple	2.0*1.25*.0.8/1.0	390-400	10-200	2.6-3.0	IF=5	120	3000PCS/Reel
	■ 蓝光 Blue	2.0*1.25*.0.8/1.0	460-470	100-2000	2.6-3.0	IF=5	120	3000PCS/Reel
	□ 白光 White	2.0*1.25*.0.8/1.0	/	100-5000	2.6-3.0	IF=5	120	3000PCS/Reel

Chip LED Series

K-Bright

1204 Side Light



For more colors or special specifications it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
1204	■ 红光 Red	3.2*1.0*.1.5	620-630	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
	■ 黄光 Yellow	3.2*1.0*.1.5	585-595	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
	■ 橙光 Orange	3.2*1.0*.1.5	600-610	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
	■ 绿光 Green	3.2*1.0*.1.5	515-525	100-3000	2.5-2.9	IF=5	120	3000PCS/Reel
	■ 紫光 Purple	3.2*1.0*.1.5	390-400	10-200	2.6-3.0	IF=5	120	3000PCS/Reel
	■ 蓝光 Blue	3.2*1.0*.1.5	460-470	100-2000	2.6-3.0	IF=5	120	3000PCS/Reel
	□ 白光 White	3.2*1.0*.1.5	/	1000-5000	2.6-3.0	IF=5	120	3000PCS/Reel

Chip LED Series



1206 Front Light



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
1206	■ 红光 Red	3.2*1.6*.0.9	620-630	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
	■ 黄光 Yellow	3.2*1.6*.0.9	585-595	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
	■ 橙光 Orange	3.2*1.6*.0.9	600-610	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
	■ 绿光 Green	3.2*1.6*.0.9	515-525	100-3000	2.5-2.9	IF=5	120	3000PCS/Reel
	■ 紫光 Purple	3.2*1.6*.0.9	390-400	10-200	2.6-3.0	IF=5	120	3000PCS/Reel
	■ 蓝光 Blue	3.2*1.6*.0.9	460-470	100-2000	2.6-3.0	IF=5	120	3000PCS/Reel
	□ 白光 White	3.2*1.6*.0.9	/	1000-5000	2.6-3.0	IF=5	120	3000PCS/Reel

Chip LED Series

1209 Dual Color



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
1209 Red+Yellow	■ 红光 Red	3.2*2.7*0.9	620-630	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
	■ 黄光 Yellow	3.2*2.7*0.9	585-595	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
1209 Red+Green	■ 红光 Red	3.2*2.7*0.9	620-630	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
	■ 绿光 Green	3.2*2.7*0.9	515-525	100-3000	2.5-2.9	IF=5	120	3000PCS/Reel
1209 Red+Blue	■ 红光 Red	3.2*2.7*0.9	620-630	100-2000	1.8-2.1	IF=5	120	3000PCS/Reel
	■ 蓝光 Blue	3.2*2.7*0.9	460-470	100-2000	2.6-3.0	IF=5	120	3000PCS/Reel
1209 Green+Blue	■ 绿光 Green	3.2*2.7*0.9	515-525	100-3000	2.5-2.9	IF=5	120	3000PCS/Reel
	■ 蓝光 Blue	3.2*2.7*0.9	460-470	100-2000	2.6-3.0	IF=5	120	3000PCS/Reel

Chip LED Series

1615 Dual Color



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
1615 Red+Yellow	■ 红光 Red	1.6*1.5*.0.6	620-630	100-2000	1.8-2.1	IF=5	120	4000PCS/Reel
	■ 黄光 Yellow	1.6*1.5*.0.6	585-595	100-2000	1.8-2.1	IF=5	120	4000PCS/Reel
1615 Red+Green	■ 红光 Red	1.6*1.5*.0.6	620-630	100-2000	1.8-2.1	IF=5	120	4000PCS/Reel
	■ 绿光 Green	1.6*1.5*.0.6	515-525	100-3000	2.5-2.9	IF=5	120	4000PCS/Reel
1615 Red+Blue	■ 红光 Red	1.6*1.5*.0.6	620-630	100-2000	1.8-2.1	IF=5	120	4000PCS/Reel
	■ 蓝光 Blue	1.6*1.5*.0.6	460-470	100-2000	2.6-3.0	IF=5	120	4000PCS/Reel
1615 Green+Blue	■ 绿光 Green	1.6*1.5*.0.6	515-525	100-3000	2.5-2.9	IF=5	120	4000PCS/Reel
	■ 蓝光 Blue	1.6*1.5*.0.6	460-470	100-2000	2.6-3.0	IF=5	120	4000PCS/Reel

Chip LED Series



3MM One holes



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
3mm One holes	■ 红光 Red	7.5*4.45*6.3	620-630	100-15000	1.8-2.4	IF=20	10-90	1000PCS/bag
	■ 黄光 Yellow	7.5*4.45*6.3	585-595	100-10000	1.8-2.4	IF=20	10-90	1000PCS/bag
	■ 绿光 Green	7.5*4.45*6.3	515-535	200-10000	2.6-3.2	IF=20	10-90	1000PCS/bag
	■ 紫光 Purple	7.5*4.45*6.3	390-400	100-1000	2.6-3.2	IF=20	10-90	1000PCS/bag
	■ 蓝光 Blue	7.5*4.45*6.3	460-470	100-8000	2.6-3.2	IF=20	10-90	1000PCS/bag

Chip LED Series

K-Bright

3MM Three holes



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
3MM Three holes	■ 红光 Red	15.3*4.45*8.9	620-630	100-7000	1.8-2.4	IF=20	10-90	200PCS/Reel
	■ 红光 Red		620-630	100-7000	1.8-2.4			
	■ 黄光 Yellow		585-595	200-2000	1.8-2.4			
3MM Three holes	■ 红光 Red	15.3*4.45*8.9	620-630	100-7000	1.8-2.4	IF=20	10-90	200PCS/Reel
	■ 红光 Red		620-630	100-7000	1.8-2.4			
	■ 绿光 Green		515-535	200-10000	2.6-3.2			
3MM Three holes	■ 红光 Red	15.3*4.45*8.9	620-630	100-7000	1.8-2.4	IF=20	10-90	200PCS/Reel
	■ 红光 Red		620-630	100-7000	1.8-2.4			
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2			
3MM Three holes	■ 红光 Red	15.3*4.45*8.9	620-630	100-7000	1.8-2.4	IF=20	10-90	200PCS/Reel
	■ 绿光 Green		515-535	200-10000	2.6-3.2			
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2			

Chip LED Series

K-Bright

3MM Two holes



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (bag)
3MM Two holes	■ 红光 Red	9.5*4.45*8.9	620-630	100-7000	1.8-2.4	IF=20	10-90	1000PCS/bag
	■ 黄光 Yellow		585-595	200-2000	1.8-2.4			
3MM Two holes	■ 红光 Red	9.5*4.45*8.9	620-630	100-7000	1.8-2.4	IF=20	10-90	1000PCS/bag
	■ 绿光 Green		515-535	100-3000	2.6-3.2			
3MM Two holes	■ 红光 Red	9.5*4.45*8.9	620-630	100-7000	1.8-2.4	IF=20	10-90	1000PCS/bag
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2			
3MM Two holes	■ 绿光 Green	9.5*4.45*8.9	515-535	100-3000	2.6-3.2	IF=20	10-90	1000PCS/bag
	■ 蓝光 Blue		460-470	100-2000	2.6-3.2			

Chip LED Series

K-Bright

3MM Four holess



For more colors or special specifications
it can be customized

产品型号 (Model)	发光颜色 (Color)	产品规格 (Product size)	波长 (nm)	发光强度 (mcd)	电压 (V)	电流 (mA)	发光角度 (°)	包装规格 (Reel)
3MM Four holess	红光 Red	20.2*4.45*10.5	620-630	100-7000	1.8-2.4	IF=20	10-90	200PCS/Reel
	红光 Red		620-630	100-7000	1.8-2.4			
	黄光 Yellow		585-595	200-2000	1.8-2.4			
	黄光 Yellow		585-595	200-2000	1.8-2.4			
3MM Four holess	红光 Red	20.2*4.45*10.5	620-630	100-7000	1.8-2.4	IF=20	10-90	200PCS/Reel
	红光 Red		620-630	100-7000	1.8-2.4			
	绿光 Green		515-535	200-10000	2.6-3.2			
	绿光 Green		515-535	200-10000	2.6-3.2			
3MM Four holess	红光 Red	20.2*4.45*10.5	620-630	100-7000	1.8-2.4	IF=20	10-90	200PCS/Reel
	红光 Red		620-630	100-7000	1.8-2.4			
	蓝光 Blue		460-470	100-2000	2.6-3.2			
	蓝光 Blue		460-470	100-2000	2.6-3.2			
3MM Four holess	红光 Red	20.2*4.45*10.5	620-630	100-7000	1.8-2.4	IF=20	10-90	200PCS/Reel
	黄光 Yellow		585-595	200-2000	1.8-2.4			
	黄光 Yellow		585-595	200-2000	1.8-2.4			
	绿光 Green		515-535	200-10000	2.6-3.2			

04 FACTORY DISPLAY

FACTORY DISPLAY

■ Factory Display



LED Package Plant



LED Package Plant



LED Package Plant

■ Factory Display



PCBA Plant



PCBA Plant



PCBA Plant

■ Factory Display



Flying Probe Test



X-ray



AOI

05 CUSTOMERS

CUSTOMERS

Customers

K-Bright
KINGBRIGHT LED LIGHTING

DELL
Technologies

 长安汽车
CHANGAN AUTO



北汽蓝谷
BAIC BLUEPARK

 LEAPMOTOR


奇瑞汽车

 国轩高科
GOTION HIGH-TECH

 **BOSCH**

MEGMEET


CISCO

RNTEC
— 锐能科技 —

ZLONG

三维极光 **Pak**


世宝股份
SHIBAO SHIPAO

 元通汽车

 hoymiles

RNTEC
— 锐能科技 —

美的  Midea®


浙正朗

 长方LED照明
CHANGFANG

ASUS
Rock Solid · Heart Touching



 中扬电子
Zhongyang Electron





 雪莱特
Cnlight

中控 · **SUPCON**

deli


HUAWEI

 Tachttech
Technologies

06 CONTACT US

CONTACT US

■ Contact Us



Headquarter

Add: No. 1706, Building 3, Nantai
Yunchanggu, Fenghuangcheng Street,
Guangming District, Shenzhen
Contact person: Coco Lee
Email: sales@kbrighter.com

PCBA factory



Add: The 2nd and 3rd floors of Building 1,
Zhongxi Industrial Park, Buyong Village,
Shajing Street, Baoan District, Shenzhen
City.
Contact person: Coco Lee
Email: sales@kbrighter.com

LED factory



Add: 4th Floor, Building B, Sushi Shanshui
Technology Park, Baoyuan Community, Shiyuan
Street, Baoan District, Shenzhen City
Contact person: Jack
Email: sales@kbrighter.com



SKYPE



WHATSAPP

<http://www.kbrighter.com/>

THANKS
THANK YOU

KINGBRIGHT